







#### Temperature-independent

Comfortable working through warm air supply by means of oil and electric heating units.



### Innovative

The rail fixation is quickly done, secure and simple as well.



One person is enough...

The quick-to-pitch tent can be erected by just one person in a matter of seconds.

# TRACK CONSTRUCTION **WORK TENTS**

## WITH RAIL FIXATION

### Unique in the industry

The track construction work tents are based on our tried and tested assembly work tent of type "KE" and were further developed specifically for the requirements of the railway industry.

Thereby the innovative fixing solution directly on the track is unparalleled in the industry. This also convinced the French railway company SNCF and has their approval since 2013.

- Designed for welding work in the track construction
- Flame-retardant special equipment
- Secure clamp fastening directly on the track
- One-man assembly and disassembly in a matter of seconds
- Perfect protection from rain, wind and cold due to welded processing

- Suitable for high-pressure cleaning
- Self-supporting construction with fibreglass poles
- Lightfast material
- Optionally available as storm tent

### **KE-R TRACK CONSTRUCTION WORK TENTS**

are available in several formats with a floor area from 3.24 m<sup>2</sup> to 9 m<sup>2</sup>.














## Heat-resistant material protects during welding work

In order to afford protection during welding work at railway tracks, a track construction tent needs to be heat-resistant and preferably fire-proof because of the flame of the burner. Therefore, all Trotec track construction tents come equipped with a tent roof that is flame-retardant up to 500 °C.

### One-man erection with clamp fastening

The innovative fastening enables one-man assembly and tent fixation in a matter of seconds. Simple and functional. The fixation is clamped to the rail and secures the track construction tent by use of tension belts. A substantial advantage compared to conventional fastening methods using rods underneath the track and similar complex solutions! After being fixed to the rail, every KE-R tent can be erected as typical quick-to-pitch tent in next to no time.

### Impressive features


- Standard colours: white-yellow, special colours or individual corporate design possible
- Incl. tension belts and clamp fastening
- Heat-resistant side walls and flame-retardant material (up to 500 °C)
- 3 concealed rain-proof zip fasteners at the front
- Door and rear wall can be folded up completely or in part

- 6 ventilation openings with rain protection
- 4 carrying handles for repositioning
- Reflective strips
- 2 lockable air vents
   with grid and rain shelter cloth
- Incl. transport bag



Well ventilated

Rear view with flame-retardant side windows and vents.



Safety thanks to focussing on the essentials

Always sheltered from wind and weather when working.

### **ACCESSORIES:**

## TRANSPORT BAG



Robust and handy (for each type of tent)

#### TENT PEG AND ROPE SET



Yet more stability Art. no. 6400000009

### TRIANGULAR DOOR REAR WALL



An additional back door

## WINDOW



Additional foil window

You have questions?
Your Trotec tent expert:

Marc Pluijmaekers Tel. +49 2452 962-481 zelte@trotec.de

## **MORE PRODUCTS**

## FOR THE RAILWAY INDUSTRY:

## ELECTRIC HEATING UNITS



Maximum heating capacity for continuous operation

# ELECTRIC HEATING DEVICES



Extremely robust, compact and portable

# OIL HEATING UNITS



Branded burner with high efficiency

## CENTRAL OIL HEATING UNITS



The industrial solution for frequently changing

## **DEHUMIDIFIERS**



Mobile and stationary industrial dehumidifiers

### **AIR CLEANERS**



Portable air cleaners "made in Germany"

## WIND MACHINES



Air circulation: professional and mobile

### **RADIAL FANS**



Mobile high-pressure radial fans

# COMMERCIAL AIR HANDLING UNITS



Ready-to-connect on every operating site

# THERMAL IMAGING CAMERAS



Precise thermographic real-time measurements

### PIPE DETECTORS



Quick, easy and precise pipe location

# COMBINATION DETECTOR



Material inspection of wheel bearings

#### **Trotec GmbH & Co. KG**

Grebbener Str. 7 52525 Heinsberg Germany

Tel. +49 2452 962-481 Fax +49 2452 962-200

zelte@trotec.de www.trotec.com

The Trotec Group is a manufacturer of machines, measurement technology and assembly work tents. It is all about solutions for optimum climate conditioning of temporary and stationary workspaces and work processes. Our customers come from various industry sectors, crafts and trade.

We continuously introduce innovative solutions on the market - most of them are "made in Germany". In addition to our solutions for sale or rent we further offer professional services and trainings.